ELSEVIER

Applied Surface Science 224 (2004) I–VII

applied surface science

www.elsevier.com/locate/apsusc

Author Index

Abele, P., see Schumacher, H. 224 (2004) 410
Åberg, I., see Eguchi, S. 224 (2004) 59
Adde, R., see Aniel, F. 224 (2004) 370
Ahlgren, D., see Harame, D.L. 224 (2004) 9
Anderson, F., see Harame, D.L. 224 (2004) 9
Aniel, F., M. Enciso, S. Richard, L. Giguerre, N. Zerounian, P. Crozat, R. Adde, T. Hackbarth, J.-H. Herzog and U. König, Microwave performances of silicon heterostructure-FETs 224 (2004) 370
Ariyoshi, S., S. Takeuchi, O. Nakatsuka, A. Sakai, S. Zaima and Y. Yasuda, Influence of $Si_{1-x}Ge_x$ interlayer on the initial growth of SiGeC on Si(1 0 0) 224 (2004) 117
Asano, T., see Kudoh, T. 224 (2004) 399
Aufinger, K., see Schäfer, H. 224 (2004) 18

Bächle, D., see Tsujino, S. 224 (2004) 377
Balasubramanian, N., see Bera, L.K. 224 (2004) 278
Banerjee, S.K., see Shi, Z. 224 (2004) 248
Bartels, M., B. Neinhüs, C. Jungemann and B. Meinerzhagen, Evaluation of compact noise modeling for Si/SiGe HBTs based on hierarchical hydrodynamic noise simulation 224 (2004) 350
Bartels, M., see Meinerzhagen, B. 224 (2004) 235
Barth, R., see Winkler, W. 224 (2004) 297
Bary, L., see Rennane, A. 224 (2004) 341
Bauer, G., see Kirfel, O. 224 (2004) 139
Bauer, J., see Winkler, W. 224 (2004) 297
Bauer, M., see Jutzi, M. 224 (2004) 170
Becker, M., see Nguyen, L.H. 224 (2004) 134
Benamara, M., see Nguyen, L.H. 224 (2004) 134
Bensahel, D., see Tsujino, S. 224 (2004) 377
Bera, L.K., S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtefeld, M.T. Bulsara and E.A. Fitzgerald, Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient 224 (2004) 278
Berlin, D., see Kim, Y. 224 (2004) 175
Berroth, M., see Jutzi, M. 224 (2004) 170
Besson, P., see Ducroquet, F. 224 (2004) 274
Böck, J., see Schäfer, H. 224 (2004) 18
Boguth, S., see Schäfer, H. 224 (2004) 18
Bolze, D., see Winkler, W. 224 (2004) 297
Borngräber, J., see Winkler, W. 224 (2004) 297
Bouchier, D., see Calmes, C. 224 (2004) 122
Bouchier, D., see Nguyen, L.H. 224 (2004) 134
Bouchier, D., see Yam, V. 224 (2004) 143
Brabant, P., J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen, Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique 224 (2004) 347
Braithwaite, G., see Bera, L.K. 224 (2004) 278
Brévard, L., see Ducroquet, F. 224 (2004) 274
Brijs, B., see Meunier-Beillard, P. 224 (2004) 31
Bulsara, M.T., see Bera, L.K. 224 (2004) 278
Buschbeck, H.M., A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer, Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy 224 (2004) 36
Busquere, J.P., see Sadowy, J. 224 (2004) 419

Calmes, C., D. Bouchier, C. Clerc and Y. Zheng, Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism 224 (2004) 122
Campidelli, Y., see Tsujino, S. 224 (2004) 377
Caymax, M., see Delhougne, R. 224 (2004) 91
Caymax, M., see Loo, R. 224 (2004) 24
Caymax, M., see Loo, R. 224 (2004) 63
Caymax, M., see Loo, R. 224 (2004) 292
Caymax, M., see Meunier-Beillard, P. 224 (2004) 31
Chakravorty, A., R. Garg and C.K. Maiti, Comparison of state-of-the-art bipolar compact models for SiGe-HBTs 224 (2004) 354
Chang, W.-H., see Chen, W.-Y. 224 (2004) 148
Chang, W.H., see Pei, Z. 224 (2004) 165
Chatterjee, S., G.K. Dalapati, S.K. Samanta and C.K. Maiti, Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers 224 (2004) 288
Chatterjee, S., see Samanta, S.K. 224 (2004) 283
Chen, L.J., see Lee, S.W. 224 (2004) 152
Chen, P.-S., see Chen, W.-Y. 224 (2004) 148
Chen, P.S., see Lee, S.W. 224 (2004) 152
Chen, P.S., see Pei, Z. 224 (2004) 165
Chen, W.Y., see Lee, S.W. 224 (2004) 152
Chen, W.Y., see Pei, Z. 224 (2004) 165
Chen, W.-Y., W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai, Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition 224 (2004) 148

doi:10.1016/S0169-4332(04)00074-1

Choi, H., see Shim, J.C. 224 (2004) 260
Chou, A.-T., see Chen, W.-Y. 224 (2004) 148
Chou, A.T., see Pei, Z. 224 (2004) 165
Clerc, C., see Calmes, C. 224 (2004) 122
Cody, N., see Brabant, P. 224 (2004) 347
Collaert, N., see Loo, R. 224 (2004) 292
Coolbaugh, D., see Harame, D.L. 224 (2004) 9
Cottrel, P., see Harame, D.L. 224 (2004) 9
Cressler, J.D., see Harame, D.L. 224 (2004) 9
Crippa, P., S. Orcioni, F. Ricciardi and C. Turchetti, A 4.4 to 5 GHz SiGe low noise amplifier 224 (2004) 429
Crippa, P., S. Orcioni, F. Ricciardi and C. Turchetti, A DC–5 GHz NMOSFET SPDT T/R switch in 0.25-μm SiGe BiCMOS technology 224 (2004) 434
Crozat, P., see Aniel, F. 224 (2004) 370
Currie, M.T., see Bera, L.K. 224 (2004) 278

Dalapati, G.K., see Chatterjee, S. 224 (2004) 288
Dalapati, G.K., see Samanta, S.K. 224 (2004) 283
Darma, Y., H. Murakami and S. Miyazaki, Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core 224 (2004) 156
Débarre, D., see Nguyen, L.H. 224 (2004) 134
Débarre, D., see Yam, V. 224 (2004) 143
Dehlinger, G., see Harame, D.L. 224 (2004) 9
Deleonibus, S., see Ducroquet, F. 224 (2004) 274
Delhougne, R., P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst, Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer 224 (2004) 91
Delhougne, R., see Loo, R. 224 (2004) 292
Denker, U., H. Sigg and O.G. Schmidt, Intermixing in Ge hut cluster islands 224 (2004) 127
Despotopoulos, S., see Gaspari, V. 224 (2004) 390
Despotopoulos, S., see Michelakis, K. 224 (2004) 386
Di Maria, J.L., see Ducroquet, F. 224 (2004) 274
Diehl, L., see Tsujino, S. 224 (2004) 377
Dommann, A., see Buschbeck, H.M. 224 (2004) 36
Doumen, G., see Meunier-Beillard, P. 224 (2004) 31
Drews, J., see Winkler, W. 224 (2004) 297
Dubuc, D., see Sadowy, J. 224 (2004) 419
Ducroquet, F., T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus, Electrical properties of $Si_{1-y}C_y/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs 224 (2004) 274
Dunn, J.S., see Harame, D.L. 224 (2004) 9
Durov, S., see Myronov, M. 224 (2004) 265

Egawa, T., A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda, Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates 224 (2004) 104
Egawa, T., see Yamamoto, T. 224 (2004) 108
Eguchi, S., J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt, On the mechanism of ion-implanted As diffusion in relaxed SiGe 224 (2004) 59
Ehwald, K.-E., see Winkler, W. 224 (2004) 297
El Kurdi, M., see Nguyen, L.H. 224 (2004) 134
El-Diwany, M., see Sadovnikov, A. 224 (2004) 320
Enciso, M., see Aniel, F. 224 (2004) 370
Erhart, A., see Buschbeck, H.M. 224 (2004) 36
Ernst, T., see Ducroquet, F. 224 (2004) 274

Ferguson, R., see Gaspari, V. 224 (2004) 390
Fitzgerald, E.A., see Bera, L.K. 224 (2004) 278
Fitzgerald, E.A., see Eguchi, S. 224 (2004) 59
Fobelets, K., see Gaspari, V. 224 (2004) 390
Fobelets, K., see Michelakis, K. 224 (2004) 386
Freeman, G., see Harame, D.L. 224 (2004) 9
Freeman, G., see Stricker, A.D. 224 (2004) 324
Fujiu, M., K. Takahashi, M. Sakuraba and J. Murota, Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0) 224 (2004) 206
Fujiwara, K., see Kutsukake, K. 224 (2004) 95

Gao, Q., see Rao, Y. 224 (2004) 160
Garg, R., see Chakravorty, A. 224 (2004) 354
Gaspari, V., K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassilliou, Effect of temperature on the transfer characteristic of a 0.5 μm-gate Si:SiGe depletion-mode n-MODFET 224 (2004) 390
Gaspari, V., see Michelakis, K. 224 (2004) 386
Geenen, L., see Meunier-Beillard, P. 224 (2004) 31
Giguerre, L., see Aniel, F. 224 (2004) 370
Goeggel, Y., see Buschbeck, H.M. 224 (2004) 36
Goryachko, A., see Krüger, D. 224 (2004) 51
Grabolla, T., see Winkler, W. 224 (2004) 297
Graffeuil, J., see Rennane, A. 224 (2004) 341
Graffeuil, J., see Sadowy, J. 224 (2004) 419
Grahn, J.V., see Suvar, E. 224 (2004) 336
Grasser, T., see Palankovski, V. 224 (2004) 361
Grasser, T., see Wagner, S. 224 (2004) 365
Greenberg, D., see Harame, D.L. 224 (2004) 9
Grenier, K., see Sadowy, J. 224 (2004) 419
Grützmacher, D., see Kirfel, O. 224 (2004) 139
Grützmacher, D., see Tsujino, S. 224 (2004) 377
Gu, S.L., see Yang, H.G. 224 (2004) 394

Haak, U., see Winkler, W. 224 (2004) 297
Haas, B., see Tsujino, S. 224 (2004) 377
Hackbarth, T., see Aniel, F. 224 (2004) 370
Hackbarth, T., see Myronov, M. 224 (2004) 265
Haen, L., see Brabant, P. 224 (2004) 347
Halbwax, M., see Nguyen, L.H. 224 (2004) 134
Hållstedt, J., E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson, Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition 224 (2004) 46
Hammond, R., see Bera, L.K. 224 (2004) 278

Han, P., see Yang, H.G. 224 (2004) 394
Haralson, E., E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling, The effect of C on emitter–base design for a single-poly-silicon SiGe:C HBT with an IDP emitter 224 (2004) 330
Haralson, E., see Suvar, E. 224 (2004) 336
Harame, D.L., S.J. Koester, G. Freeman, P. Cottrel, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna, The revolution in SiGe: impact on device electronics 224 (2004) 9
Hartmann, J.-M., see Ducroquet, F. 224 (2004) 274
Hattori, T., see Sawano, K. 224 (2004) 99
Heim, S., see Kasper, E. 224 (2004) 3
Heinemann, B., see Tillack, B. 224 (2004) 55
Heinemann, B., see Winkler, W. 224 (2004) 297
Herzog, H.-J., see Myronov, M. 224 (2004) 265
Herzog, J.-H., see Aniel, F. 224 (2004) 370
Hesse, A., see Kirfel, O. 224 (2004) 139
Hikosaka, K., see Kasamatsu, A. 224 (2004) 382
Hirose, Y., see Sawano, K. 224 (2004) 99
Höck, G., see Myronov, M. 224 (2004) 265
Holbrook, R., see Watanabe, G. 224 (2004) 405
Holsteyns, F., see Loo, R. 224 (2004) 63
Holý, V., see Kirfel, O. 224 (2004) 139
Höppner, W., see Winkler, W. 224 (2004) 297
Hopstaken, M., see Meunier-Beillard, P. 224 (2004) 31
Hoyt, J.L., see Eguchi, S. 224 (2004) 59
Hsieh, W.Y., see Wang, C.S. 224 (2004) 222
Hsu, T.-M., see Chen, W.-Y. 224 (2004) 148
Hsu, T.M., see Lee, S.W. 224 (2004) 152
Hsu, T.M., see Pei, Z. 224 (2004) 165
Hua, W.-C., T.-Y. Yang and C.W. Liu, The comparison of isolation technologies and device models on SiGe bipolar low noise amplifier 224 (2004) 425
Hultman, L., see Hållstedt, J. 224 (2004) 46

Inada, T., see Ishida, T. 224 (2004) 82
Inokuchi, Y., see Kunii, Y. 224 (2004) 68
Irieda, S., see Ishida, T. 224 (2004) 82
Ishida, T., S. Irieda, T. Inada and N. Sugii, Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures 224 (2004) 82
Italiano, J., see Brabant, P. 224 (2004) 347

Jeong, Y., M. Sakuraba and J. Murota, Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4 224 (2004) 197
Jiang, Z., see Rao, Y. 224 (2004) 160
Johnson, J.B., see Stricker, A.D. 224 (2004) 324
Joseph, A., see Harame, D.L. 224 (2004) 9
Jungemann, C., see Bartels, M. 224 (2004) 350
Jungemann, C., see Meinerzhagen, B. 224 (2004) 235
Jutzi, M., M. Berroth, G. Wöhl, C. Parry, M. Oehme, M. Bauer, C. Schöllhorn and E. Kasper, SiGe PIN photodetector for infrared optical fiber links operating at 1.25 Gbit/s 224 (2004) 170

Kanno, H., see Sadoh, T. 224 (2004) 227
Kasai, K., see Kasamatsu, A. 224 (2004) 382
Kasamatsu, A., K. Kasai, K. Hikosaka, T. Matsui and T. Mimura, 60 nm gate-length Si/SiGe HEMT 224 (2004) 382
Kasper, E., and S. Heim, Challenges of high Ge content silicon germanium structures 224 (2004) 3
Kasper, E., see Jutzi, M. 224 (2004) 170
Kawazoe, Y., see Yonenaga, I. 224 (2004) 193
Kenjo, A., see Sadoh, T. 224 (2004) 227
Kenjo, A., see Tsunoda, I. 224 (2004) 231
Kermarrec, O., see Tsujino, S. 224 (2004) 377
Kern, K., see Kirfel, O. 224 (2004) 139
Kim, Y., D. Berlin and A. Samoilov, Fabrication of epitaxial SiGe optical waveguide structures 224 (2004) 175
King, T.-J., see Takeuchi, H. 224 (2004) 73
Kirfel, O., E. Müller, D. Grützmacher, K. Kern, A. Hesse, J. Stangl, V. Holý and G. Bauer, Shape and composition change of Ge dots due to Si capping 224 (2004) 139
Knapp, H., see Schäfer, H. 224 (2004) 18
Knoll, D., see Tillack, B. 224 (2004) 55
Knoll, D., see Winkler, W. 224 (2004) 297
Koester, S.J., see Harame, D.L. 224 (2004) 9
Koga, J., see Takagi, S.-i. 224 (2004) 241
Koh, S., see Sawano, K. 224 (2004) 99
König, U., see Aniel, F. 224 (2004) 370
König, U., see Myronov, M. 224 (2004) 265
Kosina, H., see Palankovski, V. 224 (2004) 361
Koyanagi, M., see Shim, J.C. 224 (2004) 260
Krakowski, T., see Sadovnikov, A. 224 (2004) 320
Krüger, D., A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack, Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation 224 (2004) 51
Krüger, D., see Tillack, B. 224 (2004) 55
Krüger, D., see Winkler, W. 224 (2004) 297
Kubicek, S., see Loo, R. 224 (2004) 63
Kuchenbecker, J., see Rennane, A. 224 (2004) 341
Kuck, B., see Winkler, W. 224 (2004) 297
Kudoh, T., and T. Asano, Si/SiGe heterojunction collector for low loss operation of Trench IGBT 224 (2004) 399
Kummer, M., see Buschbeck, H.M. 224 (2004) 36
Kunii, Y., Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota, In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD 224 (2004) 68
Kurino, H., see Shim, J.C. 224 (2004) 260
Kurokawa, H., see Kunii, Y. 224 (2004) 68
Kurps, R., see Winkler, W. 224 (2004) 297
Kutsukake, K., N. Usami, K. Fujiwara, T. Ujihara, G. Sazaki, K. Nakajima, B. Zhang and Y. Segawa, Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate 224 (2004) 95
Kwong, D.L., see Eguchi, S. 224 (2004) 59

Lai, L.-S., see Chen, W.-Y. 224 (2004) 148
Lai, L.S., see Pei, Z. 224 (2004) 165
Landin, T., see Brabant, P. 224 (2004) 347
Le Thanh, V., see Yam, V. 224 (2004) 143
Lee, D., S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya, Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\,0\,0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD 224 (2004) 254
Lee, J.J., see Eguchi, S. 224 (2004) 59
Lee, M.L., see Eguchi, S. 224 (2004) 59
Lee, S.W., L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu, Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments 224 (2004) 152
Lee, S.W., see Pei, Z. 224 (2004) 165
LeThanh, V., see Nguyen, L.H. 224 (2004) 134
Lindsay, R., see Loo, R. 224 (2004) 63
Liu, C.W., see Hua, W.-C. 224 (2004) 425
Liu, C.W., see Lee, S.W. 224 (2004) 152
Lochtefeld, A., see Bera, L.K. 224 (2004) 278
Loo, R., and M. Caymax, Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices 224 (2004) 24
Loo, R., M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard, A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth 224 (2004) 63
Loo, R., N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer, Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth 224 (2004) 292
Loo, R., see Delhougne, R. 224 (2004) 91
Loup, V., see Ducroquet, F. 224 (2004) 274
Lu, F., see Rao, Y. 224 (2004) 160
Lu, S.C., see Pei, Z. 224 (2004) 165

Maeda, T., see Takagi, S.-i. 224 (2004) 241
Maiti, C.K., see Chakravorty, A. 224 (2004) 354
Maiti, C.K., see Chatterjee, S. 224 (2004) 288
Maiti, C.K., see Samanta, S.K. 224 (2004) 283
Malm, B.G., see Suvar, E. 224 (2004) 336
Malm, G., see Haralson, E. 224 (2004) 330
Marschmeyer, M., see Winkler, W. 224 (2004) 297
Mathew, S., see Bera, L.K. 224 (2004) 278
Matsui, T., see Kasamatsu, A. 224 (2004) 382
Meinerzhagen, B., C. Jungemann, B. Neinhüs and M. Bartels, Numerical simulation of strained Si/SiGe devices: the hierarchical approach 224 (2004) 235
Meinerzhagen, B., see Bartels, M. 224 (2004) 350
Meister, T.F., see Schäfer, H. 224 (2004) 18
Mentese, S., see Tsujino, S. 224 (2004) 377
Meunier-Beillard, P., M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst, N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C 224 (2004) 31
Meunier-Beillard, P., see Delhougne, R. 224 (2004) 91
Meunier-Beillard, P., see Loo, R. 224 (2004) 63
Meyer, K.D., see Loo, R. 224 (2004) 292
Michelakis, K., S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang, SiGe virtual substrate HMOS transistor for analogue applications 224 (2004) 386
Michelakis, K., see Gaspari, V. 224 (2004) 390
Mimura, T., see Kasamatsu, A. 224 (2004) 382
Mironov, O.A., see Myronov, M. 224 (2004) 265
Miyao, M., see Sadoh, T. 224 (2004) 227
Miyao, M., see Tsunoda, I. 224 (2004) 231
Miyazaki, S., see Darma, Y. 224 (2004) 156
Mizuno, T., see Sugiyama, N. 224 (2004) 188
Mizuno, T., see Takagi, S.-i. 224 (2004) 241
Mizuno, T., see Usuda, K. 224 (2004) 113
Moriya, A., see Kunii, Y. 224 (2004) 68
Moriyama, Y., see Sugiyama, N. 224 (2004) 188
Moriyama, Y., see Takagi, S.-i. 224 (2004) 241
Moriyama, Y., see Usuda, K. 224 (2004) 113
Müller, E., see Kirfel, O. 224 (2004) 139
Müller, E., see Tsujino, S. 224 (2004) 377
Murakami, H., see Darma, Y. 224 (2004) 156
Murata, T., and M. Suemitsu, GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge 224 (2004) 179
Murota, J., see Fujiu, M. 224 (2004) 206
Murota, J., see Jeong, Y. 224 (2004) 197
Murota, J., see Kunii, Y. 224 (2004) 68
Murota, J., see Lee, D. 224 (2004) 254
Murota, J., see Muto, D. 224 (2004) 210
Murota, J., see Noh, J. 224 (2004) 77
Murota, J., see Sasaki, D. 224 (2004) 270
Murota, J., see Shimamune, Y. 224 (2004) 202
Murota, J., see Zaima, S. 224 (2004) 215
Muto, D., M. Sakuraba, T. Seino and J. Murota, Ar plasma irradiation effects in atomically controlled Si epitaxial growth 224 (2004) 210
Myronov, M., S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König, Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE 224 (2004) 265

Nakagawa, K., see Sawano, K. 224 (2004) 99
Nakaharai, S., see Sugiyama, N. 224 (2004) 188
Nakaharai, S., see Takagi, S.-i. 224 (2004) 241
Nakaharai, S., see Usuda, K. 224 (2004) 113
Nakajima, K., see Kutsukake, K. 224 (2004) 95
Nakatsuka, O., see Ariyoshi, S. 224 (2004) 117
Nakatsuka, O., see Egawa, T. 224 (2004) 104

Nakatsuka, O., see Yamamoto, T. 224 (2004) 108
Nakatsuka, O., see Zaima, S. 224 (2004) 215
Nakazawa, H., see Senthil, K. 224 (2004) 183
Neinhüs, B., see Bartels, M. 224 (2004) 350
Neinhüs, B., see Meinerzhagen, B. 224 (2004) 235
Nguyen, L.H., V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk, Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces 224 (2004) 134
Noh, J., S. Takehiro, M. Sakuraba and J. Murota, Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment 224 (2004) 77
Numata, T., see Takagi, S.-i. 224 (2004) 241

Oehme, M., see Jutzi, M. 224 (2004) 170
Oh, H., see Shim, J.C. 224 (2004) 260
Ohmi, S., see Sasaki, D. 224 (2004) 270
Onge, S.A.S.T., see Harame, D.L. 224 (2004) 9
Onsongo, D., see Shi, Z. 224 (2004) 248
Orcioni, S., see Crippa, P. 224 (2004) 429
Orcioni, S., see Crippa, P. 224 (2004) 434
Ortiz, J., see Watanabe, G. 224 (2004) 405
Östling, M., see Haralson, E. 224 (2004) 330
Östling, M., see Suvar, E. 224 (2004) 336

Palankovski, V., and S. Selberherr, The state-of-the-art in simulation for optimization of SiGe-HBTs 224 (2004) 312
Palankovski, V., G. Röhrer, T. Grasser, S. Smirnov, H. Kosina and S. Selberherr, Rigorous modeling approach to numerical simulation of SiGe HBTs 224 (2004) 361
Palankovski, V., see Wagner, S. 224 (2004) 365
Papavassiliou, C., see Michelakis, K. 224 (2004) 386
Papavassilliou, C., see Gaspari, V. 224 (2004) 390
Parker, E.H.C., see Myronov, M. 224 (2004) 265
Parry, C., see Jutzi, M. 224 (2004) 170
Pei, Z., P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu, Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers 224 (2004) 165
Pei, Z., see Chen, W.-Y. 224 (2004) 148
Penkov, A., see Krüger, D. 224 (2004) 51
Persson, P.O.Å., see Hållstedt, J. 224 (2004) 46
Peytier, I., see Loo, R. 224 (2004) 63
Plana, R., see Rennane, A. 224 (2004) 341
Plana, R., see Sadowy, J. 224 (2004) 419
Pu, L., see Yang, H.G. 224 (2004) 394

Radamson, H., see Haralson, E. 224 (2004) 330
Radamson, H.H., see Hållstedt, J. 224 (2004) 46
Radamson, H.H., see Suvar, E. 224 (2004) 336
Ramachandran, V., see Harame, D.L. 224 (2004) 9
Ramm, J., see Buschbeck, H.M. 224 (2004) 36
Ranade, P., see Takeuchi, H. 224 (2004) 73
Rao, Y., Q. Gao, Z. Jiang and F. Lu, Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots 224 (2004) 160
Rennane, A., L. Bary, J.L. Roux, J. Kuchenbecker, J. Graffeuil and R. Plana, Reliability properties of SiGe HBTs 224 (2004) 341
Rest, M., see Schäfer, H. 224 (2004) 18
Rhee, S.J., see Eguchi, S. 224 (2004) 59
Ricciardi, F., see Crippa, P. 224 (2004) 429
Ricciardi, F., see Crippa, P. 224 (2004) 434
Richard, O., see Loo, R. 224 (2004) 63
Richard, S., see Aniel, F. 224 (2004) 370
Richter, H., see Winkler, W. 224 (2004) 297
Rieh, J.-S., see Harame, D.L. 224 (2004) 9
Rieh, J.-S., see Stricker, A.D. 224 (2004) 324
Rim, K., see Harame, D.L. 224 (2004) 9
Röhrer, G., see Palankovski, V. 224 (2004) 361
Röhrer, G., see Wagner, S. 224 (2004) 365
Rosenblad, C., see Buschbeck, H.M. 224 (2004) 36
Rosner, P., see Nguyen, L.H. 224 (2004) 134
Roux, J.L., see Rennane, A. 224 (2004) 341
Rücker, H., see Winkler, W. 224 (2004) 297

Sadoh, T., H. Kanno, A. Kenjo and M. Miyao, Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization 224 (2004) 227
Sadoh, T., see Tsunoda, I. 224 (2004) 231
Sadovnikov, A., T. Krakowski and M. El-Diwany, Influence of the extrinsic base on the base current kink in SiGe BJTs 224 (2004) 320
Sadowy, J., D. Dubuc, J.P. Busquere, K. Grenier, I. Telliez, J. Graffeuil, E. Tournier and R. Plana, SiGe based low noise amplifier for WLAN applications 224 (2004) 419
Sakaguchi, T., see Shim, J.C. 224 (2004) 260
Sakai, A., see Ariyoshi, S. 224 (2004) 117
Sakai, A., see Egawa, T. 224 (2004) 104
Sakai, A., see Yamamoto, T. 224 (2004) 108
Sakai, A., see Zaima, S. 224 (2004) 215
Sakai, T., see Sasaki, D. 224 (2004) 270
Sakuraba, M., see Fujiu, M. 224 (2004) 206
Sakuraba, M., see Jeong, Y. 224 (2004) 197
Sakuraba, M., see Lee, D. 224 (2004) 254
Sakuraba, M., see Muto, D. 224 (2004) 210
Sakuraba, M., see Noh, J. 224 (2004) 77
Sakuraba, M., see Sasaki, D. 224 (2004) 270
Sakuraba, M., see Shimamune, Y. 224 (2004) 202
Sakurai, M., see Yonenaga, I. 224 (2004) 193
Samanta, S.K., G.K. Dalapati, S. Chatterjee and C.K. Maiti, Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers 224 (2004) 283
Samanta, S.K., see Chatterjee, S. 224 (2004) 288
Samoilov, A., see Kim, Y. 224 (2004) 175
Sasaki, D., S. Ohmi, M. Sakuraba, J. Murota and T. Sakai, Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers 224 (2004) 270

Sawano, K., S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki, Formation of thin SiGe virtual substrates by ion implantation into Si substrates 224 (2004) 99
Sazaki, G., see Kutsukake, K. 224 (2004) 95
Schad, K.-B., see Schumacher, H. 224 (2004) 410
Schäfer, H., J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister, Selective epitaxial growth of SiGe:C for high speed HBTs 224 (2004) 18
Schley, P., see Tillack, B. 224 (2004) 55
Schley, P., see Winkler, W. 224 (2004) 297
Schmidt, D., see Winkler, W. 224 (2004) 297
Schmidt, O.G., see Denker, U. 224 (2004) 127
Schöllhorn, C., see Jutzi, M. 224 (2004) 170
Scholz, R., see Winkler, W. 224 (2004) 297
Schreiter, R., see Schäfer, H. 224 (2004) 18
Schumacher, H., P. Abele, E. Sönmez, K.-B. Schad and A. Trasser, Low-cost circuit solutions for micro- and millimeter-wave systems using commercially available SiGe technologies 224 (2004) 410
Segawa, Y., see Kutsukake, K. 224 (2004) 95
Seino, T., see Muto, D. 224 (2004) 210
Selberherr, S., see Palankovski, V. 224 (2004) 312
Selberherr, S., see Palankovski, V. 224 (2004) 361
Selberherr, S., see Wagner, S. 224 (2004) 365
Senapati, B., see Tillack, B. 224 (2004) 55
Senthil, K., H. Nakazawa and M. Suemitsu, Adsorption kinetics of dimethylsilane at Si(0 0 1) 224 (2004) 183
Shen, B., see Yang, H.G. 224 (2004) 394
Shi, Y., see Yang, H.G. 224 (2004) 394
Shi, Z., D. Onsongo and S.K. Banerjee, Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs 224 (2004) 248
Shim, J.C., H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi, SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication 224 (2004) 260
Shimamune, Y., M. Sakuraba, J. Murota and B. Tillack, Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique 224 (2004) 202
Shiraki, Y., see Sawano, K. 224 (2004) 99
Shu, D.Y., see Wang, C.S. 224 (2004) 222
Sigg, H., see Denker, U. 224 (2004) 127
Singaporewala, F., see Bera, L.K. 224 (2004) 278
Sluiter, M.H.F., see Yonenaga, I. 224 (2004) 193
Smirnov, S., see Palankovski, V. 224 (2004) 361
Sönmez, E., see Schumacher, H. 224 (2004) 410
Stangl, J., see Kirfel, O. 224 (2004) 139
Stengl, R., see Schäfer, H. 224 (2004) 18
Stewart, E.J., and J.C. Sturm, Segregation of boron to polycrystalline and single-crystal $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ layers 224 (2004) 87
Stricker, A.D., J.B. Johnson, G. Freeman and J.-S. Rieh, Design and optimization of a 200 GHz SiGe HBT collector profile by TCAD 224 (2004) 324
Strunk, H.P., see Nguyen, L.H. 224 (2004) 134
Sturm, J.C., see Stewart, E.J. 224 (2004) 87
Stutz, S., see Tsujino, S. 224 (2004) 377
Subbanna, S., see Harame, D.L. 224 (2004) 9
Suemitsu, M., see Murata, T. 224 (2004) 179
Suemitsu, M., see Senthil, K. 224 (2004) 183
Sugii, N., see Ishida, T. 224 (2004) 82
Sugiyama, N., see Takagi, S.-i. 224 (2004) 241
Sugiyama, N., see Usuda, K. 224 (2004) 113
Sugiyama, N., Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi, Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates 224 (2004) 188
Suvar, E., E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling, Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure 224 (2004) 336
Suvar, E., see Hållstedt, J. 224 (2004) 46
Suvar, E., see Haralson, E. 224 (2004) 330

Takagi, S., see Sugiyama, N. 224 (2004) 188
Takagi, S.-i., see Usuda, K. 224 (2004) 113
Takagi, S.-i., T. Mizuno, T. Tezuka, N. Sugiyama, T. Numata, K. Usuda, Y. Moriyama, S. Nakaharai, J. Koga, A. Tanabe and T. Maeda, Fabrication and device characteristics of strained-Si-on-insulator (strained-SOI) CMOS 224 (2004) 241
Takahashi, K., see Fujiu, M. 224 (2004) 206
Takehiro, S., see Lee, D. 224 (2004) 254
Takehiro, S., see Noh, J. 224 (2004) 77
Takeuchi, H., P. Ranade and T.-J. King, Low-temperature dopant activation technology using elevated Ge-S/D structure 224 (2004) 73
Takeuchi, S., see Ariyoshi, S. 224 (2004) 117
Tanabe, A., see Takagi, S.-i. 224 (2004) 241
Taoka, N., see Egawa, T. 224 (2004) 104
Taoka, N., see Yamamoto, T. 224 (2004) 108
Telliez, I., see Sadowy, J. 224 (2004) 419
Tezuka, T., see Sugiyama, N. 224 (2004) 188
Tezuka, T., see Takagi, S.-i. 224 (2004) 241
Tezuka, T., see Usuda, K. 224 (2004) 113
Tillack, B., see Krüger, D. 224 (2004) 51
Tillack, B., see Shimamune, Y. 224 (2004) 202
Tillack, B., see Winkler, W. 224 (2004) 297
Tillack, B., Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger, High performance SiGe:C HBTs using atomic layer base doping 224 (2004) 55
Todd, M.A., and K.D. Weeks, Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films 224 (2004) 41
Toumazou, C., see Michelakis, K. 224 (2004) 386
Tournier, E., see Sadowy, J. 224 (2004) 419
Trasser, A., see Schumacher, H. 224 (2004) 410
Tsai, M.-J., see Lee, S.W. 224 (2004) 152
Tsai, M.-J., see Pei, Z. 224 (2004) 165
Tsai, M.-J., see Wang, C.S. 224 (2004) 222

Tsuchiya, T., see Lee, D. 224 (2004) 254
Tsujino, S., S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel, Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates 224 (2004) 377
Tsunoda, I., A. Kenjo, T. Sadoh and M. Miyao, Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing 224 (2004) 231
Turchetti, C., see Crippa, P. 224 (2004) 429
Turchetti, C., see Crippa, P. 224 (2004) 434

Ujihara, T., see Kutsukake, K. 224 (2004) 95
Usami, N., see Kutsukake, K. 224 (2004) 95
Usuda, K., see Takagi, S.-i. 224 (2004) 241
Usuda, K., T. Mizuno, T. Tezuka, N. Sugiyama, Y. Moriyama, S. Nakaharai and S.-i. Takagi, Strain relaxation of strained-Si layers on SiGe-on-insulator (SGOI) structures after mesa isolation 224 (2004) 113

Van Nieuwenhuysen, K., see Meunier-Beillard, P. 224 (2004) 31
Vandervorst, W., see Delhougne, R. 224 (2004) 91
Vandervorst, W., see Meunier-Beillard, P. 224 (2004) 31
Velazquez-Perez, J.E., see Gaspari, V. 224 (2004) 390
Verheyen, P., see Loo, R. 224 (2004) 63
Verheyen, P., see Loo, R. 224 (2004) 292
Vilches, A., see Michelakis, K. 224 (2004) 386

Wagner, S., V. Palankovski, G. Röhrer, T. Grasser and S. Selberherr, Direct extraction feature for scattering parameters of SiGe-HBTs 224 (2004) 365
Wang, C.S., D.Y. Shu, W.Y. Hsieh and M.-J. Tsai, Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide 224 (2004) 222
Wang, Y.-B., see Hållstedt, J. 224 (2004) 46
Wang, Y.-B., see Haralson, E. 224 (2004) 330
Wang, Y.-B., see Suvar, E. 224 (2004) 336
Washio, K., High-speed SiGe HBTs and their applications 224 (2004) 306
Watanabe, G., J. Ortiz and R. Holbrook, High performance rf front end circuits using SiGe:C BiCMOS + copper technologies 224 (2004) 405
Weber, O., see Ducroquet, F. 224 (2004) 274
Weeks, K.D., see Todd, M.A. 224 (2004) 41
Wen, J., see Brabant, P. 224 (2004) 347
Whall, T.E., see Myronov, M. 224 (2004) 265
Wiltsche, S., see Buschbeck, H.M. 224 (2004) 36
Winkler, W., J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto, P. Zaumseil, Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology 224 (2004) 297
Wöhl, G., see Jutzi, M. 224 (2004) 170
Wolansky, D., see Winkler, W. 224 (2004) 297
Wulf, H.-E., see Winkler, W. 224 (2004) 297
Wurzer, M., see Schäfer, H. 224 (2004) 18

Yam, V., see Nguyen, L.H. 224 (2004) 134
Yam, V., V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier, Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots 224 (2004) 143
Yamamoto, T., A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda, Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer 224 (2004) 108
Yamamoto, T., see Egawa, T. 224 (2004) 104
Yamamoto, Y., see Krüger, D. 224 (2004) 51
Yamamoto, Y., see Tillack, B. 224 (2004) 55
Yamamoto, Y., see Winkler, W. 224 (2004) 297
Yang, H.G., Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng, Nonvolatile memory based on Ge/Si hetero-nanocrystals 224 (2004) 394
Yang, T.-Y., see Hua, W.-C. 224 (2004) 425
Yap, J., see Bera, L.K. 224 (2004) 278
Yasuda, Y., see Ariyoshi, S. 224 (2004) 117
Yasuda, Y., see Egawa, T. 224 (2004) 104
Yasuda, Y., see Yamamoto, T. 224 (2004) 108
Yasuda, Y., see Zaima, S. 224 (2004) 215
Yonenaga, I., M. Sakurai, M.H.F. Sluiter and Y. Kawazoe, Local atomic structure in Czochralski-grown $Ge_{1-x}Si_x$ bulk alloys 224 (2004) 193

Zaima, S., O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda, Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts 224 (2004) 215
Zaima, S., see Ariyoshi, S. 224 (2004) 117
Zaima, S., see Egawa, T. 224 (2004) 104
Zaima, S., see Yamamoto, T. 224 (2004) 108
Zaumseil, P., see Winkler, W. 224 (2004) 297
Zerounian, N., see Aniel, F. 224 (2004) 370
Zhang, B., see Kutsukake, K. 224 (2004) 95
Zhang, J., see Michelakis, K. 224 (2004) 386
Zhang, R., see Yang, H.G. 224 (2004) 394
Zheng, Y., see Calmes, C. 224 (2004) 122
Zheng, Y., see Yam, V. 224 (2004) 143
Zheng, Y.D., see Yang, H.G. 224 (2004) 394

ELSEVIER

Applied Surface Science 224 (2004) VIII–XXV

applied surface science

www.elsevier.com/locate/apsusc

Subject Index

Alloys

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46

Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Ammonia

Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197

Annealing

Low-temperature dopant activation technology using elevated Ge-S/D structure, H. Takeuchi, P. Ranade and T.-J. King 224 (2004) 73

Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82

Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate, K. Kutsukake, N. Usami, K. Fujiwara, T. Ujihara, G. Sazaki, K. Nakajima, B. Zhang and Y. Segawa 224 (2004) 95

Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156

Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231

SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260

Argon

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Arsenic

On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59

Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82

Atomic force microscopy

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99

Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates, T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 104

Intermixing in Ge hut cluster islands, U. Denker, H. Sigg and O.G. Schmidt 224 (2004) 127

Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134

doi:10.1016/S0169-4332(04)00075-3

Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143
Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165
Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188

Auger electron spectroscopy

Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51
A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63

Boron

Fabrication of 0.12 μm pMOSFETs on high Ge fraction Si/Si$_{1-x}$Ge$_x$/Si(1 0 0) heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254

Bismuth

High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405

Bond structures

Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377
SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386

Boron

In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68
Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77

Carbides

Roughening mechanisms of tensily strained Si$_{1-x-y}$Ge$_x$C$_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122
Electrical properties of Si$_{1-y}$C$_y$/Si/SiO$_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274
Minority carrier lifetime and diffusion length in Si$_{1-x-y}$Ge$_x$C$_y$ and Si$_{1-y}$C$_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283
Electrical properties of ZrO_2 films on Si$_{1-x-y}$Ge$_x$C$_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288
Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336
High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405

Carbon

Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18
N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46
In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68
Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91
Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206
Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215
Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology, W. Winkler, J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil 224 (2004) 297
The effect of C on emitter–base design for a single-polysilicon SiGe:C HBT with an IDP emitter, E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling 224 (2004) 330
High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405

Chemical vapour deposition

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24
N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31
Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36
Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41
Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46
Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51
High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55
A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63
In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68
Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122
Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148
Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165
GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179
Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188
Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197
Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique, Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack 224 (2004) 202
Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210
Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\ 0\ 0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254
Electrical properties of $Si_{1-x}C_x/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Clusters

Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77
Intermixing in Ge hut cluster islands, U. Denker, H. Sigg and O.G. Schmidt 224 (2004) 127

Computer simulations

Numerical simulation of strained Si/SiGe devices: the hierarchical approach, B. Meinerzhagen, C. Jungemann, B. Neinhüs and M. Bartels 224 (2004) 235
Rigorous modeling approach to numerical simulation of SiGe HBTs, V. Palankovski, G. Röhrer, T. Grasser, S. Smirnov, H. Kosina and S. Selberherr 224 (2004) 361
Direct extraction feature for scattering parameters of SiGe-HBTs, S. Wagner, V. Palankovski, G. Röhrer, T. Grasser and S. Selberherr 224 (2004) 365

Copper

High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405

Density of states

Electrical properties of $Si_{1-x}C_x/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Depth profiling

Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51
On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59
A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63
Fabrication of epitaxial SiGe optical waveguide structures, Y. Kim, D. Berlin and A. Samoilov 224 (2004) 175

Diffusion

On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59

Doping effects

High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55
In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68
Low-temperature dopant activation technology using elevated Ge-S/D structure, H. Takeuchi, P. Ranade and T.-J. King 224 (2004) 73
Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77
Epitaxial growth of N delta doped Si films on $Si(1\ 0\ 0)$ by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197
Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\ 0\ 0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254
Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology, W. Winkler, J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil 224 (2004) 297

Electrical properties

Low-temperature dopant activation technology using elevated Ge-S/D structure, H. Takeuchi, P. Ranade and T.-J. King 224 (2004) 73

Fabrication and device characteristics of strained-Si-on-insulator (strained-SOI) CMOS, S.-i. Takagi, T. Mizuno, T. Tezuka, N. Sugiyama, T. Numata, K. Usuda, Y. Moriyama, S. Nakaharai, J. Koga, A. Tanabe and T. Maeda 224 (2004) 241

Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs, Z. Shi, D. Onsongo and S.K. Banerjee 224 (2004) 248

Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\ 0\ 0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254

Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE, M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König 224 (2004) 265

Electrical properties of $Si_{1-y}C_y/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient, L.K. Bera, S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtefeld, M.T. Bulsara and E.A. Fitzgerald 224 (2004) 278

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288

Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth, R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer 224 (2004) 292

Influence of the extrinsic base on the base current kink in SiGe BJTs, A. Sadovnikov, T. Krakowski and M. El-Diwany 224 (2004) 320

Comparison of state-of-the-art bipolar compact models for SiGe-HBTs, A. Chakravorty, R. Garg and C.K. Maiti 224 (2004) 354

Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377

60 nm gate-length Si/SiGe HEMT, A. Kasamatsu, K. Kasai, K. Hikosaka, T. Matsui and T. Mimura 224 (2004) 382

SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386

Si/SiGe heterojunction collector for low loss operation of Trench IGBT, T. Kudoh and T. Asano 224 (2004) 399

SiGe based low noise amplifier for WLAN applications, J. Sadowy, D. Dubuc, J.P. Busquere, K. Grenier, I. Telliez, J. Graffeuil, E. Tournier and R. Plana 224 (2004) 419

A 4.4 to 5 GHz SiGe low noise amplifier, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 429

A DC–5 GHz NMOSFET SPDT T/R switch in 0.25-μm SiGe BiCMOS technology, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 434

Electron diffraction

Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Electron microscopy

The revolution in SiGe: impact on device electronics, D.L. Harame, S.J. Koester, G. Freeman, P. Cottrel, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna 224 (2004) 9

Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility heterochannel pMOS devices, R. Loo and M. Caymax 224 (2004) 24

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46

High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55

A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63

Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91

Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate, K. Kutsukake, N. Usami, K. Fujiwara, T. Ujihara, G. Sazaki, K. Nakajima, B. Zhang and Y. Segawa 224 (2004) 95

Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates, T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 104

Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer, T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 108

Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122

Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148

Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152

Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156

Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165

Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188

Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215

Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization, T. Sadoh, H. Kanno, A. Kenjo and M. Miyao 224 (2004) 227

SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260

Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers, D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai 224 (2004) 270

Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth, R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer 224 (2004) 292

The effect of C on emitter–base design for a single-polysilicon SiGe:C HBT with an IDP emitter, E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling 224 (2004) 330

Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336

Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique, P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen 224 (2004) 347

Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377

60 nm gate-length Si/SiGe HEMT, A. Kasamatsu, K. Kasai, K. Hikosaka, T. Matsui and T. Mimura 224 (2004) 382

Ellipsometry

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Epitaxy

Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51

High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55

In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68

Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99

Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates, T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 104

Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122

Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188

Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197

Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique, Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack 224 (2004) 202

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(100)$heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254

Electrical properties of $Si_{1-y}C_y/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288

Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth, R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer 224 (2004) 292

Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336

Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique, P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen 224 (2004) 347

SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386

Etching

A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63

Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers, D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai 224 (2004) 270

Germanium

Challenges of high Ge content silicon germanium structures, E. Kasper and S. Heim 224 (2004) 3

The revolution in SiGe: impact on device electronics, D.L. Harame, S.J. Koester, G. Freeman, P. Cottrel, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna 224 (2004) 9

Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46

Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51

High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55

On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59

A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63

In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68

Low-temperature dopant activation technology using elevated Ge-S/D structure, H. Takeuchi, P. Ranade and T.-J. King 224 (2004) 73

Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77

Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82

Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91

Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate, K. Kutsukake, N. Usami, K. Fujiwara, T. Ujihara, G. Sazaki, K. Nakajima, B. Zhang and Y. Segawa 224 (2004) 95

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99

Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates, T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 104

Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer, T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 108

Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122

Intermixing in Ge hut cluster islands, U. Denker, H. Sigg and O.G. Schmidt 224 (2004) 127

Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134

Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143

Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148

Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152

Influence of thermal annealing on compositional mixing and crystallinity of highly

selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156
Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots, Y. Rao, Q. Gao, Z. Jiang and F. Lu 224 (2004) 160
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165
SiGe PIN photodetector for infrared optical fiber links operating at 1.25 Gbit/s, M. Jutzi, M. Berroth, G. Wöhl, C. Parry, M. Oehme, M. Bauer, C. Schöllhorn and E. Kasper 224 (2004) 170
Fabrication of epitaxial SiGe optical waveguide structures, Y. Kim, D. Berlin and A. Samoilov 224 (2004) 175
GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179
Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188
Local atomic structure in Czochralski-grown $Ge_{1-x}Si_x$ bulk alloys, I. Yonenaga, M. Sakurai, M.H.F. Sluiter and Y. Kawazoe 224 (2004) 193
Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206
Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215
Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222
Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization, T. Sadoh, H. Kanno, A. Kenjo and M. Miyao 224 (2004) 227
Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231
Numerical simulation of strained Si/SiGe devices: the hierarchical approach, B. Meinerzhagen, C. Jungemann, B. Neinhüs and M. Bartels 224 (2004) 235
Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs, Z. Shi, D. Onsongo and S.K. Banerjee 224 (2004) 248
Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\ 0\ 0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254
SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260
Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE, M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König 224 (2004) 265
Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers, D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai 224 (2004) 270
Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient, L.K. Bera, S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtefeld, M.T. Bulsara and E.A. Fitzgerald 224 (2004) 278
Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283
Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288
Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth, R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer 224 (2004) 292
Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology, W. Winkler, J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil 224 (2004) 297
Influence of the extrinsic base on the base current kink in SiGe BJTs, A. Sadovnikov, T. Krakowski and M. El-Diwany 224 (2004) 320
Design and optimization of a 200 GHz SiGe HBT collector profile by TCAD, A.D. Stricker, J.B. Johnson, G. Freeman and J.-S. Rieh 224 (2004) 324
The effect of C on emitter–base design for a single-polysilicon SiGe:C HBT with an IDP emitter, E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling 224 (2004) 330
Characterization of leakage current related to a selectively grown collector in SiGeC het-

erojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336
Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique, P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen 224 (2004) 347
Evaluation of compact noise modeling for Si/SiGe HBTs based on hierarchical hydrodynamic noise simulation, M. Bartels, B. Neinhüs, C. Jungemann and B. Meinerzhagen 224 (2004) 350
Comparison of state-of-the-art bipolar compact models for SiGe-HBTs, A. Chakravorty, R. Garg and C.K. Maiti 224 (2004) 354
Rigorous modeling approach to numerical simulation of SiGe HBTs, V. Palankovski, G. Röhrer, T. Grasser, S. Smirnov, H. Kosina and S. Selberherr 224 (2004) 361
Direct extraction feature for scattering parameters of SiGe-HBTs, S. Wagner, V. Palankovski, G. Röhrer, T. Grasser and S. Selberherr 224 (2004) 365
Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377
60 nm gate-length Si/SiGe HEMT, A. Kasamatsu, K. Kasai, K. Hikosaka, T. Matsui and T. Mimura 224 (2004) 382
SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386
Effect of temperature on the transfer characteristic of a 0.5 μm-gate Si:SiGe depletion-mode n-MODFET, V. Gaspari, K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassilliou 224 (2004) 390
Nonvolatile memory based on Ge/Si heteronanocrystals, H.G. Yang, Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng 224 (2004) 394
Si/SiGe heterojunction collector for low loss operation of Trench IGBT, T. Kudoh and T. Asano 224 (2004) 399
High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405
Low-cost circuit solutions for micro- and millimeter-wave systems using commercially available SiGe technologies, H. Schumacher, P. Abele, E. Sönmez, K.-B. Schad and A. Trasser 224 (2004) 410
SiGe based low noise amplifier for WLAN applications, J. Sadowy, D. Dubuc, J.P. Busquere, K. Grenier, I. Telliez, J. Graffeuil, E. Tournier and R. Plana 224 (2004) 419
The comparison of isolation technologies and device models on SiGe bipolar low noise amplifier, W.-C. Hua, T.-Y. Yang and C.W. Liu 224 (2004) 425
A 4.4 to 5 GHz SiGe low noise amplifier, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 429
A DC–5 GHz NMOSFET SPDT T/R switch in 0.25-μm SiGe BiCMOS technology, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 434

Halogenides

Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Heterostructures

Challenges of high Ge content silicon germanium structures, E. Kasper and S. Heim 224 (2004) 3
Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82
Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143
Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient, L.K. Bera, S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtefeld, M.T. Bulsara and E.A. Fitzgerald 224 (2004) 278
Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283
Microwave performances of silicon heterostructure-FETs, F. Aniel, M. Enciso, S. Richard, L. Giguerre, N. Zerounian, P. Crozat, R. Adde, T. Hackbarth, J.-H. Herzog and U. König 224 (2004) 370
Effect of temperature on the transfer characteristic of a 0.5 μm-gate Si:SiGe depletion-mode n-MODFET, V. Gaspari, K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassilliou 224 (2004) 390
Nonvolatile memory based on Ge/Si heteronanocrystals, H.G. Yang, Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng 224 (2004) 394
Si/SiGe heterojunction collector for low loss operation of Trench IGBT, T. Kudoh and T. Asano 224 (2004) 399

Hydrides

GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179

Hydrogen

Adsorption kinetics of dimethylsilane at Si(0 0 1), K. Senthil, H. Nakazawa and M. Suemitsu 224 (2004) 183

Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Infrared spectroscopy

Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91

GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179

Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Interfaces

Electrical properties of $Si_{1-y}C_y/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Ion bombardment

Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231

Ion implantation

On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59

Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99

Ion scattering

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41

Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82

Luminescence

Intermixing in Ge hut cluster islands, U. Denker, H. Sigg and O.G. Schmidt 224 (2004) 127

Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134

Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143

Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148

Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152

Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165

Metal oxide semiconductor structure

Fabrication and device characteristics of strained-Si-on-insulator (strained-SOI) CMOS, S.-i. Takagi, T. Mizuno, T. Tezuka, N. Sugiyama, T. Numata, K. Usuda, Y. Moriyama, S. Nakaharai, J. Koga, A. Tanabe and T. Maeda 224 (2004) 241

Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs, Z. Shi, D. Onsongo and S.K. Banerjee 224 (2004) 248

Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE, M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König 224 (2004) 265

Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers, D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai 224 (2004) 270

Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology, W. Winkler, J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D. Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil 224 (2004) 297

SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386

Effect of temperature on the transfer characteristic of a 0.5 μm-gate Si:SiGe depletion-mode n-MODFET, V. Gaspari, K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassilliou 224 (2004) 390

Molecular beam epitaxy

Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer, T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 108

Intermixing in Ge hut cluster islands, U. Denker, H. Sigg and O.G. Schmidt 224 (2004) 127

Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE, M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König 224 (2004) 265

Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288

Monte-Carlo simulations

Evaluation of compact noise modeling for Si/SiGe HBTs based on hierarchical hydrodynamic noise simulation, M. Bartels, B. Neinhüs, C. Jungemann and B. Meinerzhagen 224 (2004) 350

Multilayers

Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122

Nanostructures

Nonvolatile memory based on Ge/Si heteronanocrystals, H.G. Yang, Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng 224 (2004) 394

Nickel

Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215

Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization, T. Sadoh, H. Kanno, A. Kenjo and M. Miyao 224 (2004) 227

SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260

Nitrogen

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197

Optical properties

Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown

by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148

Oxide

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288

Phosphorus

Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77

Photoelectron spectroscopy

Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156
Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197
Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206
Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283

Photovolvaic effects

SiGe PIN photodetector for infrared optical fiber links operating at 1.25 Gbit/s, M. Jutzi, M. Berroth, G. Wöhl, C. Parry, M. Oehme, M. Bauer, C. Schöllhorn and E. Kasper 224 (2004) 170

Plasma processing

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36
Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210
Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Quantum effects

Challenges of high Ge content silicon germanium structures, E. Kasper and S. Heim 224 (2004) 3
Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134
Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143
Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148
Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152
Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots, Y. Rao, Q. Gao, Z. Jiang and F. Lu 224 (2004) 160
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots (QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165
Microwave performances of silicon heterostructure-FETs, F. Aniel, M. Enciso, S. Richard, L. Giguerre, N. Zerounian, P. Crozat, R. Adde, T. Hackbarth, J.-H. Herzog and U. König 224 (2004) 370

Raman scattering

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99
Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156

Secondary ion mass spectroscopy

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36
High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55
On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59
A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63
Fabrication of epitaxial SiGe optical waveguide structures, Y. Kim, D. Berlin and A. Samoilov 224 (2004) 175
Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique, Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack 224 (2004) 202
Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215
The effect of C on emitter–base design for a single-polysilicon SiGe:C HBT with an IDP emitter, E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling 224 (2004) 330
Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336
Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique, P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen 224 (2004) 347

Semiconductors

The revolution in SiGe: impact on device electronics, D.L. Harame, S.J. Koester, G. Freeman, P. Cottrel, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T. Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna 224 (2004) 9
Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18
Influence of the extrinsic base on the base current kink in SiGe BJTs, A. Sadovnikov, T. Krakowski and M. El-Diwany 224 (2004) 320
Design and optimization of a 200 GHz SiGe HBT collector profile by TCAD, A.D. Stricker, J.B. Johnson, G. Freeman and J.-S. Rieh 224 (2004) 324

Semi-conductors

Comparison of state-of-the-art bipolar compact models for SiGe-HBTs, A. Chakravorty, R. Garg and C.K. Maiti 224 (2004) 354
Low-cost circuit solutions for micro- and millimeter-wave systems using commercially available SiGe technologies, H. Schumacher, P. Abele, E. Sönmez, K.-B. Schad and A. Trasser 224 (2004) 410

Silane

Adsorption kinetics of dimethylsilane at Si(0 0 1), K. Senthil, H. Nakazawa and M. Suemitsu 224 (2004) 183
Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197
Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique, Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack 224 (2004) 202
Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Silicides

Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215
SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260

Silicon

Challenges of high Ge content silicon germanium structures, E. Kasper and S. Heim 224 (2004) 3
The revolution in SiGe: impact on device electronics, D.L. Harame, S.J. Koester, G. Freeman, P. Cottrel, K. Rim, G. Dehlinger, D. Ahlgren, J.S. Dunn, D. Greenberg, A. Joseph, F. Anderson, J.-S. Rieh, S.A.S.T.

Onge, D. Coolbaugh, V. Ramachandran, J.D. Cressler and S. Subbanna 224 (2004) 9
Selective epitaxial growth of SiGe:C for high speed HBTs, H. Schäfer, J. Böck, R. Stengl, H. Knapp, K. Aufinger, M. Wurzer, S. Boguth, M. Rest, R. Schreiter and T.F. Meister 224 (2004) 18
Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24
N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31
Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36
Low temperature, high growth rate epitaxial silicon and silicon germanium alloy films, M.A. Todd and K.D. Weeks 224 (2004) 41
Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46
Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51
High performance SiGe:C HBTs using atomic layer base doping, B. Tillack, Y. Yamamoto, D. Knoll, B. Heinemann, P. Schley, B. Senapati and D. Krüger 224 (2004) 55
On the mechanism of ion-implanted As diffusion in relaxed SiGe, S. Eguchi, J.J. Lee, S.J. Rhee, D.L. Kwong, M.L. Lee, E.A. Fitzgerald, I. Åberg and J.L. Hoyt 224 (2004) 59
A new technique to fabricate ultra-shallow-junctions, combining in situ vapour HCl etching and in situ doped epitaxial SiGe re-growth, R. Loo, M. Caymax, P. Meunier-Beillard, I. Peytier, F. Holsteyns, S. Kubicek, P. Verheyen, R. Lindsay and O. Richard 224 (2004) 63
In situ B doping of SiGe(C) using BCl_3 in ultraclean hot-wall LPCVD, Y. Kunii, Y. Inokuchi, A. Moriya, H. Kurokawa and J. Murota 224 (2004) 68
Low-temperature dopant activation technology using elevated Ge-S/D structure, H. Takeuchi, P. Ranade and T.-J. King 224 (2004) 73
Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77
Characterization of As^+ ion-implanted layers in strained-Si/SiGe/Si hetero-structures, T. Ishida, S. Irieda, T. Inada and N. Sugii 224 (2004) 82
Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91
Fabrication of SiGe-on-insulator by rapid thermal annealing of Ge on Si-on-insulator substrate, K. Kutsukake, N. Usami, K. Fujiwara, T. Ujihara, G. Sazaki, K. Nakajima, B. Zhang and Y. Segawa 224 (2004) 95
Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99
Strain-relaxation mechanisms of SiGe layers formed by two-step growth on Si(0 0 1) substrates, T. Egawa, A. Sakai, T. Yamamoto, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 104
Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer, T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 108
Roughening mechanisms of tensily strained $Si_{1-x-y}Ge_xC_y$ films grown by UHV-CVD: evidence of a carbon surface diffusion related mechanism, C. Calmes, D. Bouchier, C. Clerc and Y. Zheng 224 (2004) 122
Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134
Kinetics of Si capping process of Ge/Si(0 0 1) quantum dots, V. Yam, V. Le Thanh, D. Débarre, Y. Zheng and D. Bouchier 224 (2004) 143
Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148
Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152
Influence of thermal annealing on compositional mixing and crystallinity of highly selective grown Si dots with Ge core, Y. Darma, H. Murakami and S. Miyazaki 224 (2004) 156
Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots, Y. Rao, Q. Gao, Z. Jiang and F. Lu 224 (2004) 160
Room temperature 1.3 and 1.5 μm electroluminescence from Si/Ge quantum dots

(QDs)/Si multi-layers, Z. Pei, P.S. Chen, S.W. Lee, L.S. Lai, S.C. Lu, M.-J. Tsai, W.H. Chang, W.Y. Chen, A.T. Chou and T.M. Hsu 224 (2004) 165

SiGe PIN photodetector for infrared optical fiber links operating at 1.25 Gbit/s, M. Jutzi, M. Berroth, G. Wöhl, C. Parry, M. Oehme, M. Bauer, C. Schöllhorn and E. Kasper 224 (2004) 170

Fabrication of epitaxial SiGe optical waveguide structures, Y. Kim, D. Berlin and A. Samoilov 224 (2004) 175

GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179

Kinetics of epitaxial growth of Si and SiGe films on (1 1 0) Si substrates, N. Sugiyama, Y. Moriyama, S. Nakaharai, T. Tezuka, T. Mizuno and S. Takagi 224 (2004) 188

Local atomic structure in Czochralski-grown $Ge_{1-x}Si_x$ bulk alloys, I. Yonenaga, M. Sakurai, M.H.F. Sluiter and Y. Kawazoe 224 (2004) 193

Epitaxial growth of N delta doped Si films on Si(1 0 0) by alternately supplied NH_3 and SiH_4, Y. Jeong, M. Sakuraba and J. Murota 224 (2004) 197

Formation of heavily P-doped Si epitaxial film on Si(1 0 0) by multiple atomic-layer doping technique, Y. Shimamune, M. Sakuraba, J. Murota and B. Tillack 224 (2004) 202

Effect of carbon on the thermal stability of a Si atomic layer on Ge(1 0 0), M. Fujiu, K. Takahashi, M. Sakuraba and J. Murota 224 (2004) 206

Ar plasma irradiation effects in atomically controlled Si epitaxial growth, D. Muto, M. Sakuraba, T. Seino and J. Murota 224 (2004) 210

Interfacial reaction and electrical properties in Ni/Si and Ni/SiGe(C) contacts, S. Zaima, O. Nakatsuka, A. Sakai, J. Murota and Y. Yasuda 224 (2004) 215

Reactive ion etching of $Si_{1-x}Ge_x$ alloy with hydrogen bromide, C.S. Wang, D.Y. Shu, W.Y. Hsieh and M.-J. Tsai 224 (2004) 222

Ge-dependent morphological change in poly-SiGe formed by Ni-mediated crystallization, T. Sadoh, H. Kanno, A. Kenjo and M. Miyao 224 (2004) 227

Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231

Numerical simulation of strained Si/SiGe devices: the hierarchical approach, B. Meinerzhagen, C. Jungemann, B. Neinhüs and M. Bartels 224 (2004) 235

Fabrication and device characteristics of strained-Si-on-insulator (strained-SOI) CMOS, S.-i. Takagi, T. Mizuno, T. Tezuka, N. Sugiyama, T. Numata, K. Usuda, Y. Moriyama, S. Nakaharai, J. Koga, A. Tanabe and T. Maeda 224 (2004) 241

Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs, Z. Shi, D. Onsongo and S.K. Banerjee 224 (2004) 248

Fabrication of 0.12 μm pMOSFETs on high Ge fraction $Si/Si_{1-x}Ge_x/Si(1\ 0\ 0)$ heterostructure with ultrashallow source/drain formed using B-doped SiGe CVD, D. Lee, S. Takehiro, M. Sakuraba, J. Murota and T. Tsuchiya 224 (2004) 254

SiGe elevated source/drain structure and nickel silicide contact layer for sub 0.1 μm MOSFET fabrication, J.C. Shim, H. Oh, H. Choi, T. Sakaguchi, H. Kurino and M. Koyanagi 224 (2004) 260

Low-frequency noise suppression and dc characteristics enhancement in sub-μm metamorphic p-MOSFETs with strained $Si_{0.3}Ge_{0.7}$ channel grown by MBE, M. Myronov, S. Durov, O.A. Mironov, E.H.C. Parker, T.E. Whall, T. Hackbarth, G. Höck, H.-J. Herzog and U. König 224 (2004) 265

Proposal of a multi-layer channel MOSFET: the application of selective etching for Si/SiGe stacked layers, D. Sasaki, S. Ohmi, M. Sakuraba, J. Murota and T. Sakai 224 (2004) 270

Electrical properties of $Si_{1-y}C_y/Si/SiO_2$ interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Analysis of carrier generation lifetime in strained-Si/SiGe heterojunction MOSFETs from capacitance transient, L.K. Bera, S. Mathew, N. Balasubramanian, G. Braithwaite, M.T. Currie, F. Singaporewala, J. Yap, R. Hammond, A. Lochtefeld, M.T. Bulsara and E.A. Fitzgerald 224 (2004) 278

Minority carrier lifetime and diffusion length in $Si_{1-x-y}Ge_xC_y$ and $Si_{1-y}C_y$ heterolayers, S.K. Samanta, G.K. Dalapati, S. Chatterjee and C.K. Maiti 224 (2004) 283

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288

Fabrication of 50 nm high performance strained-SiGe pMOSFETs with selective epitaxial growth, R. Loo, N. Collaert, P. Verheyen, M. Caymax, R. Delhougne and K.D. Meyer 224 (2004) 292

Circuit applications of high-performance SiGe:C HBTs integrated in BiCMOS technology, W. Winkler, J. Borngräber, B. Heinemann, H. Rücker, R. Barth, J. Bauer, D. Bolze, J. Drews, K.-E. Ehwald, T. Grabolla, U. Haak, W. Höppner, D. Knoll, D. Krüger, B. Kuck, R. Kurps, M. Marschmeyer, H. Richter, P. Schley, D. Schmidt, R. Scholz, B. Tillack, D.

Wolansky, H.-E. Wulf, Y. Yamamoto and P. Zaumseil 224 (2004) 297
Influence of the extrinsic base on the base current kink in SiGe BJTs, A. Sadovnikov, T. Krakowski and M. El-Diwany 224 (2004) 320
Design and optimization of a 200 GHz SiGe HBT collector profile by TCAD, A.D. Stricker, J.B. Johnson, G. Freeman and J.-S. Rieh 224 (2004) 324
The effect of C on emitter–base design for a single-polysilicon SiGe:C HBT with an IDP emitter, E. Haralson, E. Suvar, G. Malm, H. Radamson, Y.-B. Wang and M. Östling 224 (2004) 330
Characterization of leakage current related to a selectively grown collector in SiGeC heterojunction bipolar transistor structure, E. Suvar, E. Haralson, H.H. Radamson, Y.-B. Wang, J.V. Grahn, B.G. Malm and M. Östling 224 (2004) 336
Achieving a SiGe HBT epitaxial emitter with novel low thermal budget technique, P. Brabant, J. Wen, J. Italiano, T. Landin, N. Cody and L. Haen 224 (2004) 347
Evaluation of compact noise modeling for Si/SiGe HBTs based on hierarchical hydrodynamic noise simulation, M. Bartels, B. Neinhüs, C. Jungemann and B. Meinerzhagen 224 (2004) 350
Comparison of state-of-the-art bipolar compact models for SiGe-HBTs, A. Chakravorty, R. Garg and C.K. Maiti 224 (2004) 354
Rigorous modeling approach to numerical simulation of SiGe HBTs, V. Palankovski, G. Röhrer, T. Grasser, S. Smirnov, H. Kosina and S. Selberherr 224 (2004) 361
Direct extraction feature for scattering parameters of SiGe-HBTs, S. Wagner, V. Palankovski, G. Röhrer, T. Grasser and S. Selberherr 224 (2004) 365
Microwave performances of silicon heterostructure-FETs, F. Aniel, M. Enciso, S. Richard, L. Giguerre, N. Zerounian, P. Crozat, R. Adde, T. Hackbarth, J.-H. Herzog and U. König 224 (2004) 370
Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377
60 nm gate-length Si/SiGe HEMT, A. Kasamatsu, K. Kasai, K. Hikosaka, T. Matsui and T. Mimura 224 (2004) 382
SiGe virtual substrate HMOS transistor for analogue applications, K. Michelakis, S. Despotopoulos, V. Gaspari, A. Vilches, K. Fobelets, C. Papavassiliou, C. Toumazou and J. Zhang 224 (2004) 386
Effect of temperature on the transfer characteristic of a 0.5 μm-gate Si:SiGe depletion-mode n-MODFET, V. Gaspari, K. Fobelets, J.E. Velazquez-Perez, R. Ferguson, K. Michelakis, S. Despotopoulos and C. Papavassilliou 224 (2004) 390
Nonvolatile memory based on Ge/Si heteronanocrystals, H.G. Yang, Y. Shi, L. Pu, R. Zhang, B. Shen, P. Han, S.L. Gu and Y.D. Zheng 224 (2004) 394
Si/SiGe heterojunction collector for low loss operation of Trench IGBT, T. Kudoh and T. Asano 224 (2004) 399
High performance rf front end circuits using SiGe:C BiCMOS + copper technologies, G. Watanabe, J. Ortiz and R. Holbrook 224 (2004) 405
Low-cost circuit solutions for micro- and millimeter-wave systems using commercially available SiGe technologies, H. Schumacher, P. Abele, E. Sönmez, K.-B. Schad and A. Trasser 224 (2004) 410
SiGe based low noise amplifier for WLAN applications, J. Sadowy, D. Dubuc, J.P. Busquere, K. Grenier, I. Teiliez, J. Graffeuil, E. Tournier and R. Plana 224 (2004) 419
The comparison of isolation technologies and device models on SiGe bipolar low noise amplifier, W.-C. Hua, T.-Y. Yang and C.W. Liu 224 (2004) 425
A 4.4 to 5 GHz SiGe low noise amplifier, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 429
A DC–5 GHz NMOSFET SPDT T/R switch in 0.25-μm SiGe BiCMOS technology, P. Crippa, S. Orcioni, F. Ricciardi and C. Turchetti 224 (2004) 434

Silicon carbide

Adsorption kinetics of dimethylsilane at Si(0 0 1), K. Senthil, H. Nakazawa and M. Suemitsu 224 (2004) 183

Silicon oxide

Selective epitaxial growth of Ge quantum dots on patterned SiO_2/Si(0 0 1) surfaces, L.H. Nguyen, V. LeThanh, D. Débarre, V. Yam, M. Halbwax, M. El Kurdi, D. Bouchier, P. Rosner, M. Becker, M. Benamara and H.P. Strunk 224 (2004) 134
Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231
Electrical properties of $Si_{1-y}C_y$/Si/SiO_2 interface for sub 50 nm strained-channel nMOSFETs, F. Ducroquet, T. Ernst, O. Weber, J.-M. Hartmann, V. Loup, P. Besson, L. Brévard, J.L. Di Maria and S. Deleonibus 224 (2004) 274

Superlattices

Resonant tunneling in Si–SiGe superlattices on relaxed buffer substrates, S. Tsujino, S. Mentese, L. Diehl, E. Müller, B. Haas, D. Bächle, S. Stutz, D. Grützmacher, Y. Campidelli, O. Kermarrec and D. Bensahel 224 (2004) 377

Thermal desorption

GeH_4 adsorption on Si(0 0 1) at RT: transfer of H atoms to Si sites and atomic exchange between Si and Ge, T. Murata and M. Suemitsu 224 (2004) 179

Adsorption kinetics of dimethylsilane at Si(0 0 1), K. Senthil, H. Nakazawa and M. Suemitsu 224 (2004) 183

Thin films

Avoiding loading effects and facet growth. Key parameters for a successful implementation of selective epitaxial SiGe deposition for HBT-BiCMOS and high-mobility hetero-channel pMOS devices, R. Loo and M. Caymax 224 (2004) 24

N_2 as carrier gas: an alternative to H_2 for enhanced epitaxy of Si, SiGe and SiGe:C, P. Meunier-Beillard, M. Caymax, K. Van Nieuwenhuysen, G. Doumen, B. Brijs, M. Hopstaken, L. Geenen and W. Vandervorst 224 (2004) 31

Growth of high quality epitaxial $Si_{1-x-y}Ge_xC_y$ layers by using chemical vapor deposition, J. Hållstedt, E. Suvar, P.O.Å. Persson, L. Hultman, Y.-B. Wang and H.H. Radamson 224 (2004) 46

Characterization of Ge gradients in SiGe HBTs by AES depth profile simulation, D. Krüger, A. Penkov, Y. Yamamoto, A. Goryachko and B. Tillack 224 (2004) 51

Optical properties of stacked Ge/Si quantum dots with different spacer thickness grown by chemical vapor deposition, W.-Y. Chen, W.-H. Chang, A.-T. Chou, T.-M. Hsu, P.-S. Chen, Z. Pei and L.-S. Lai 224 (2004) 148

Tunneling

Coupling effect dependent on the thickness of the spacer layer between double layers of quantum dots, Y. Rao, Q. Gao, Z. Jiang and F. Lu 224 (2004) 160

X-ray absorption

Local atomic structure in Czochralski-grown $Ge_{1-x}Si_x$ bulk alloys, I. Yonenaga, M. Sakurai, M.H.F. Sluiter and Y. Kawazoe 224 (2004) 193

X-ray diffraction

Production-ready dry cleaning and deposition processes for low-temperature Si and SiGe epitaxy, H.M. Buschbeck, A. Erhart, Y. Goeggel, C. Rosenblad, S. Wiltsche, J. Ramm, A. Dommann and M. Kummer 224 (2004) 36

Relationship between impurity (B or P) and carrier concentration in SiGe(C) epitaxial film produced by thermal treatment, J. Noh, S. Takehiro, M. Sakuraba and J. Murota 224 (2004) 77

Development of a new type of SiGe thin strain relaxed buffer based on the incorporation of a carbon-containing layer, R. Delhougne, P. Meunier-Beillard, M. Caymax, R. Loo and W. Vandervorst 224 (2004) 91

Formation of thin SiGe virtual substrates by ion implantation into Si substrates, K. Sawano, S. Koh, Y. Hirose, T. Hattori, K. Nakagawa and Y. Shiraki 224 (2004) 99

Dislocation structures and strain-relaxation in SiGe buffer layers on Si (0 0 1) substrates with an ultra-thin Ge interlayer, T. Yamamoto, A. Sakai, T. Egawa, N. Taoka, O. Nakatsuka, S. Zaima and Y. Yasuda 224 (2004) 108

Improved growth of Ge quantum dots in Ge/Si stacked layers by pre-intermixing treatments, S.W. Lee, L.J. Chen, P.S. Chen, M.-J. Tsai, C.W. Liu, W.Y. Chen and T.M. Hsu 224 (2004) 152

Fabrication of epitaxial SiGe optical waveguide structures, Y. Kim, D. Berlin and A. Samoilov 224 (2004) 175

Enhanced crystal nucleation in a-SiGe/SiO_2 by ion-irradiation assisted annealing, I. Tsunoda, A. Kenjo, T. Sadoh and M. Miyao 224 (2004) 231

Mobility and performance enhancement in compressively strained SiGe channel PMOSFETs, Z. Shi, D. Onsongo and S.K. Banerjee 224 (2004) 248

Zirconium

Electrical properties of ZrO_2 films on $Si_{1-x-y}Ge_xC_y$ epitaxial layers, S. Chatterjee, G.K. Dalapati, S.K. Samanta and C.K. Maiti 224 (2004) 288